


# REQUIRED MOTOR DATA TO MOUNT TO GEARBOXES

- D1 BOLT CIRCLE DIAMETER
- D2 SHAFT DIAMETER
- D3 PILOT DIAMETER
- D4 HOLE DIAMETER
- L1 PILOT THICKNESS
- L2 SHAFT LENGTH


## OPTIONAL:

- INTERNAL:**
- REQUIRED BACKLASH
  - RATED (CONTINUOUS) TORQUE
  - PEAK TORQUE
  - GEAR RATIO
  - MAX AND RATED SPEED
  - MAX ACCELERATION TORQUE
  - LIFE
  - EFFICIENCY

- EXTERNAL:**
- SHAFT DIAMETER
  - SHAFT OPTIONS (ROUND, KEYWAY, FLAT?...)
  - IP RATING
  - MAINTENANCE
  - OPERATING TEMPERATURE
  - ALLOWABLE RADIAL LOAD
  - ALLOWABLE AXIAL LOAD
  - WEIGHT



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

 <p><b>ANAHEIM AUTOMATION</b> 910 EAST ORANGEFAIR LANE ANAHEIM, CA. 92801-1195</p>		TITLE			
		REQUIRED MOTOR DATA TO MOUNT TO GEARBOXES			
THIS DRAWING OR DOCUMENT AND THE INFORMATION SET FORTH HEREIN ARE THE PROPERTY OF ANAHEIM AUTOMATION AND SHALL NOT BE USED OR DISCLOSED EXCEPT IN ACCORDANCE WITH ITS WRITTEN PERMISSION.		SIZE	DATE	DRAWING NO.	REV.
REFERENCE DRAWINGS TOLERANCES UNLESS OTHERWISE SPECIFIED: .XX +/- .010 .XXX +/- .005 .XXXX +/- .0010 ANGLES +/- .5 DEGREES		<b>A</b>	12-7-09	<b>AA5210</b>	
MATERIAL	FINISH	SCALE	1 / 1	MODEL	SHEET 1 OF 1
DRAWN T. RAINES	APPROVED				